

**Bundled Episode Payment and Gainsharing Demonstration\***  
**Pregnancy and Delivery (Mother only) Definition**



Component	Description
<b>Summary Description</b>	This episode definition covers all facility and professional services rendered during a woman’s pregnancy, labor and delivery, including care following delivery and services related to complications (including readmissions).
<b>Episode Structure</b>	Episode begins 270 days prior to triggering DRG and ends 60 days after the hospital discharge date for delivery stay.
<b>Clinical Conditions (DRGs)</b>	<p><b>Episode is triggered by one of the following DRGs:</b></p> <ul style="list-style-type: none"> <li>• MS DRG 765: Cesarean section w CC/MCC</li> <li>• MS DRG 766: Cesarean section w/o CC/MCC</li> <li>• MS DRG 767: Vaginal delivery w sterilization &amp;/or D&amp;C</li> <li>• MS DRG 768: Vaginal delivery w O.R. procedures except sterilization &amp;/or D&amp;C</li> <li>• MS DRG 774: Vaginal delivery w complicating diagnoses</li> <li>• MS DRG 775: Vaginal delivery w/o complicating diagnoses</li> </ul>
<b>Standard Services</b>	<p><b>Services expected within the episode period (may not be separately billed), include all professional and facility charges for:</b></p> <ul style="list-style-type: none"> <li>• Amniocentesis</li> <li>• Antepartum Admission</li> <li>• Antepartum Care Only</li> <li>• Chorionic Villus Sampling</li> <li>• C-section Delivery</li> <li>• External Cephalic Version</li> <li>• Fetal Test</li> <li>• OB Lab</li> <li>• OB Ultrasound</li> <li>• Postpartum Curettage</li> <li>• Removal Cerclage Suture</li> <li>• Tocolytic Therapy</li> <li>• Tubal Ligation</li> <li>• Vaginal Delivery</li> </ul> <p><b>Services which, if they occur within the episode period, may not be separately billed:</b></p> <ul style="list-style-type: none"> <li>• Postpartum Complications within 60 days of discharge: <ul style="list-style-type: none"> <li>○ DRG 769 Postpartum Diagnoses with OR procedure</li> <li>○ DRG 776 Postpartum Diagnoses without OR procedure</li> </ul> </li> </ul> <p><b>Services excluded from Standard Definition, may be separately billed:</b></p> <ul style="list-style-type: none"> <li>• Outpatient prescription drugs</li> </ul>

Component	Description
<p><b>Patient Qualification</b></p>	<p><b>For inclusion in the pilot, patient must be:</b></p> <ul style="list-style-type: none"> <li>• Covered by participating health plan during complete episode period</li> <li>• Over age 13 and under age 50</li> </ul> <p><b>Patients are excluded from the pilot if:</b></p> <ul style="list-style-type: none"> <li>• Discharge status is:               <ul style="list-style-type: none"> <li>○ Left against medical advice</li> <li>○ Transferred during labor</li> </ul> </li> <li>• Clinical history demonstrates:               <ul style="list-style-type: none"> <li>○ Active Cancer</li> <li>○ AIDS</li> <li>○ Fetal Surgery</li> <li>○ Multi-gestation 3+ (or twins that share one amniotic sac)</li> <li>○ Multiple Sclerosis</li> <li>○ Pulmonary Embolism</li> <li>○ Renal Dialysis</li> <li>○ Rupture of uterus</li> <li>○ Transplant</li> </ul> </li> </ul>
<p><b>Payment Mechanism</b></p>	<p>TBD</p>

Component	Description																																				
<b>Severity Markers/Risk Adjustment</b>	<p>No prospective risk adjustment.                      Recommend reviewing experience on annual basis for following potential severity markers for population-based risk adjustment vs. risk-adjusting every episode.</p> <table border="1" data-bbox="326 401 1149 554"> <thead> <tr> <th data-bbox="326 401 1149 449">Complications</th> </tr> </thead> <tbody> <tr> <td data-bbox="326 449 1149 485">Anesthetic complications during pregnancy</td> </tr> <tr> <td data-bbox="326 485 1149 520">Hemorrhage in pregnancy</td> </tr> <tr> <td data-bbox="326 520 1149 554">Pregnancy, with shock</td> </tr> </tbody> </table> <table border="1" data-bbox="326 590 1149 1682"> <thead> <tr> <th data-bbox="326 590 1149 638">Comorbidities</th> </tr> </thead> <tbody> <tr> <td data-bbox="326 638 1149 674">Abnormalities of genital tract in pregnancy</td> </tr> <tr> <td data-bbox="326 674 1149 709">Anemia in pregnancy</td> </tr> <tr> <td data-bbox="326 709 1149 745">Asthma</td> </tr> <tr> <td data-bbox="326 745 1149 781">Bipolar disorder</td> </tr> <tr> <td data-bbox="326 781 1149 816">Breech pregnancy</td> </tr> <tr> <td data-bbox="326 816 1149 852">Cerebrovascular disorders of pregnancy</td> </tr> <tr> <td data-bbox="326 852 1149 888">Diabetes (pre-existing)</td> </tr> <tr> <td data-bbox="326 888 1149 924">Drug dependence in pregnancy</td> </tr> <tr> <td data-bbox="326 924 1149 959">Eclampsia</td> </tr> <tr> <td data-bbox="326 959 1149 995">Fetal complication in pregnancy</td> </tr> <tr> <td data-bbox="326 995 1149 1031">Gestational diabetes</td> </tr> <tr> <td data-bbox="326 1031 1149 1066">Heart disease in pregnancy</td> </tr> <tr> <td data-bbox="326 1066 1149 1102">Hemorrhage in pregnancy</td> </tr> <tr> <td data-bbox="326 1102 1149 1138">Hypertension</td> </tr> <tr> <td data-bbox="326 1138 1149 1173">Hypertension in pregnancy</td> </tr> <tr> <td data-bbox="326 1173 1149 1209">Liver disease in pregnancy</td> </tr> <tr> <td data-bbox="326 1209 1149 1245">Major depression</td> </tr> <tr> <td data-bbox="326 1245 1149 1281">Morbid obesity</td> </tr> <tr> <td data-bbox="326 1281 1149 1316">Other infectious diseases in pregnancy</td> </tr> <tr> <td data-bbox="326 1316 1149 1352">Pregnancy, with deep vein thrombosis</td> </tr> <tr> <td data-bbox="326 1352 1149 1388">Pregnancy, with mild preeclampsia</td> </tr> <tr> <td data-bbox="326 1388 1149 1423">Pregnancy, with severe preeclampsia</td> </tr> <tr> <td data-bbox="326 1423 1149 1459">Pre-term labor</td> </tr> <tr> <td data-bbox="326 1459 1149 1495">Previous C-section</td> </tr> <tr> <td data-bbox="326 1495 1149 1530">Pyelonephritis</td> </tr> <tr> <td data-bbox="326 1530 1149 1566">Renal disease in pregnancy</td> </tr> <tr> <td data-bbox="326 1566 1149 1602">Rheumatologic diagnosis</td> </tr> <tr> <td data-bbox="326 1602 1149 1638">Schizophrenia</td> </tr> <tr> <td data-bbox="326 1638 1149 1673">Sickle cell disease</td> </tr> <tr> <td data-bbox="326 1673 1149 1709">Threatened labor</td> </tr> <tr> <td data-bbox="326 1709 1149 1745">Twins with two amniotic sacs</td> </tr> </tbody> </table>	Complications	Anesthetic complications during pregnancy	Hemorrhage in pregnancy	Pregnancy, with shock	Comorbidities	Abnormalities of genital tract in pregnancy	Anemia in pregnancy	Asthma	Bipolar disorder	Breech pregnancy	Cerebrovascular disorders of pregnancy	Diabetes (pre-existing)	Drug dependence in pregnancy	Eclampsia	Fetal complication in pregnancy	Gestational diabetes	Heart disease in pregnancy	Hemorrhage in pregnancy	Hypertension	Hypertension in pregnancy	Liver disease in pregnancy	Major depression	Morbid obesity	Other infectious diseases in pregnancy	Pregnancy, with deep vein thrombosis	Pregnancy, with mild preeclampsia	Pregnancy, with severe preeclampsia	Pre-term labor	Previous C-section	Pyelonephritis	Renal disease in pregnancy	Rheumatologic diagnosis	Schizophrenia	Sickle cell disease	Threatened labor	Twins with two amniotic sacs
Complications																																					
Anesthetic complications during pregnancy																																					
Hemorrhage in pregnancy																																					
Pregnancy, with shock																																					
Comorbidities																																					
Abnormalities of genital tract in pregnancy																																					
Anemia in pregnancy																																					
Asthma																																					
Bipolar disorder																																					
Breech pregnancy																																					
Cerebrovascular disorders of pregnancy																																					
Diabetes (pre-existing)																																					
Drug dependence in pregnancy																																					
Eclampsia																																					
Fetal complication in pregnancy																																					
Gestational diabetes																																					
Heart disease in pregnancy																																					
Hemorrhage in pregnancy																																					
Hypertension																																					
Hypertension in pregnancy																																					
Liver disease in pregnancy																																					
Major depression																																					
Morbid obesity																																					
Other infectious diseases in pregnancy																																					
Pregnancy, with deep vein thrombosis																																					
Pregnancy, with mild preeclampsia																																					
Pregnancy, with severe preeclampsia																																					
Pre-term labor																																					
Previous C-section																																					
Pyelonephritis																																					
Renal disease in pregnancy																																					
Rheumatologic diagnosis																																					
Schizophrenia																																					
Sickle cell disease																																					
Threatened labor																																					
Twins with two amniotic sacs																																					

\* This project was supported by grant number R18HS020098 from the Agency for Healthcare Research and Quality. The content is solely the responsibility of the authors and does not necessarily represent the official views of the Agency for Healthcare Research and Quality.